

# POWER OUTAGE REPORTER

April 2018



## OVERVIEW

Power disruptions can occur anywhere, for a variety of reasons.


Listed here are some of the recent disruptions.

Remember, though most of the publicly reported events tend to happen outside of an organization's facility, there are many unreported problems happening every day inside a building.

Vertiv designs, builds and services critical infrastructure that enables vital applications for data centers, communication networks and commercial and industrial facilities. Vertiv supports critical IT computing from the core to the network edge with a portfolio of power, thermal and infrastructure management solutions including the Chloride®, Liebert®, NetSure™ and Trellis™ brands.

Contact us at [VertivCo.com](http://VertivCo.com)


Want to know more about the cost of downtime? [Read this paper from the Ponemon Institute](#)



DATE	AREA	IMPACT	REASON
4/1/2018	<a href="#">South Tahoe, NV</a>	Area wide	Utility explosion
4/2/2018	<a href="#">Tallahassee, FL</a>	50	Equipment failure
4/3/2018	<a href="#">Grand Island, NE</a>	District wide	Weather-wind
4/3/2018	<a href="#">Fort Wayne, IN</a>	57	Vehicle accident
4/4/2018	<a href="#">OH, PA, NY</a>	200,000	Weather-wind
4/4/2018	<a href="#">VT</a>	24,000	Weather-wind
4/4/2018	<a href="#">Ashland, KY</a>	4,260	Weather-wind
4/4/2018	<a href="#">Cincinnati, OH</a>	County wide	Weather-wind
4/4/2018	<a href="#">Cookeville, TN</a>	4,500	Fallen trees
4/4/2018	<a href="#">Mississippi Cty, AR</a>	900	Weather-storm
4/4/2018	<a href="#">Oxford, MS</a>	1,500	Weather-storm
4/4/2018	<a href="#">Huntsville, AL</a>	5,000	Weather-storm
4/4/2018	<a href="#">Mobile, AL</a>	200	Weather-storm
4/5/2018	<a href="#">Monroe, LA</a>	2,000	Substation failure
4/5/2018	<a href="#">Blackfoot, ID</a>	1,357	Down pole
4/7/2018	<a href="#">San Francisco, CA</a>	10,800	Weather-wind
4/7/2018	<a href="#">Boise, ID</a>	758	Weather-storm
4/8/2018	<a href="#">Eugene, OR</a>	2,000	Weather-wind
4/8/2018	<a href="#">Salt Lake City, UT</a>	57,000	Equipment failure
4/9/2018	<a href="#">Milford, CT</a>	700	Vehicle accident
4/10/2018	<a href="#">Springsdale, AR</a>	6,500	Substation failure
4/10/2018	<a href="#">Lake Worth, FL</a>	25,000	Substation failure
4/10/2018	<a href="#">Bingham Cty, ID</a>	31	Vehicle accident
4/11/2018	<a href="#">Asheville, NC</a>	9,000	Transmission line
4/11/2018	<a href="#">Bethel, AK</a>	230	Utility error
4/11/2018	<a href="#">Yuma, AZ</a>	490	Utility error
4/12/2018	<a href="#">Window Rock, AZ</a>	Navajo authority	Weather-wind
4/12/2018	<a href="#">Oak Hills, CA</a>	359	Weather-wind
4/12/2018	<a href="#">Hibbard, ID</a>	Area wide	Weather-wind
4/12/2018	<a href="#">Ogden, UT</a>	198	Down pole
4/13/2018	<a href="#">Los Angeles, CA</a>	11,500	Weather-wind
4/13/2018	<a href="#">Holyoke, CO</a>	500	Weather-storm
4/14/2018	<a href="#">Lexington, NE</a>	500	Weather-wind
4/14/2018	<a href="#">New Orleans, LA</a>	1,620	Weather-storm
4/14/2018	<a href="#">Mobile, AL</a>	10,000	Weather-storm
4/14/2018	<a href="#">Central MI</a>	23,000	Weather-storm
4/14/2018	<a href="#">NE WI</a>	3,400	Weather-storm
4/14/2018	<a href="#">Mississippi area</a>	12,057	Weather-tornado
4/14/2018	<a href="#">Jessamine Cty, KY</a>	1,700	Not reported
4/15/2018	<a href="#">Fort Wayne, IN</a>	59	Equipment failure
4/15/2018	<a href="#">Fort Wayne, IN</a>	435	Vehicle accident
4/15/2018	<a href="#">Newport, RI</a>	1,460	Weather-wind
4/15/2018	<a href="#">North Kahola, HI</a>	2,101	Weather-storm
4/15/2018	<a href="#">Kaimuki, HI</a>	2,800	Weather-storm
4/15/2018	<a href="#">Detroit, MI</a>	390,000	Weather-wind/ice
4/16/2018	<a href="#">Fort Wayne, IN</a>	21	Tree on line
4/16/2018	<a href="#">Centerville, TN</a>	500	Planned
4/16/2018	<a href="#">Fairfield, CT</a>	700	Weather-storm
4/16/2018	<a href="#">Washoe Cty, NV</a>	5,300	Equipment failure
4/16/2018	<a href="#">Keene, NH</a>	13,000	Weather-wind
4/16/2018	<a href="#">Raleigh, NC</a>	33,465	Weather-tornado
4/16/2018	<a href="#">Newton, NJ</a>	10,000+	Weather-storm

4/16/2018	<a href="#">Washington DC</a>	2,000+	Weather-storm
4/16/2018	<a href="#">University of NM</a>	all IT	Planned
4/16/2018	<a href="#">Northern, UT</a>	10,000	Weather-wind
4/16/2018	<a href="#">Portland, ME</a>	9,000	Weather-wind
4/17/2018	<a href="#">Casa Grande, AZ</a>	2,000	Not reported
4/18/2018	<a href="#">San Juan, PR</a>	560,000	Excavator mishap
4/18/2018	<a href="#">Lewes, DE</a>	City wide	Planned
4/18/2018	<a href="#">Fairfield, CT</a>	1,100	Squirrel
4/18/2018	<a href="#">Carolinas</a>	50,000	Weather-tornado
4/19/2018	<a href="#">Allentown, PA</a>	79	Not reported
4/19/2018	<a href="#">Norman, OK</a>	Campus area	Not reported
4/19/2018	<a href="#">Ventura, CA</a>	525	Utility transformer failure
4/20/2018	<a href="#">South Bend, IN</a>	1,300	Vehicle accident
4/20/2018	<a href="#">Forest City, IA</a>	Part of city	Utility equipment failure
4/20/2018	<a href="#">Houlton, ME</a>	Part of city	Utility equipment failure
4/20/2018	<a href="#">Lafayette, AL</a>	3,000	Utility transmission line
4/20/2018	<a href="#">Ft Wayne, IN</a>	4,700	Utility substation failure
4/21/2018	<a href="#">Madison, AL</a>	Part of city	Tree on line
4/21/2018	<a href="#">Tulsa, OK</a>	2,600	Unknown
4/22/2018	<a href="#">Rapid City, SD</a>	700	Equipment failure
4/22/2018	<a href="#">Brookside, DE</a>	2,000	Vehicle accident
4/22/2018	<a href="#">Columbus, OH</a>	1,400	Unknown
4/22/2018	<a href="#">Fargo, ND</a>	Neighborhood	Vehicle accident
4/23/2018	<a href="#">Clemson, SC</a>	Entire campus	Downed poles
4/23/2018	<a href="#">Chipley, FL</a>	Part of city	Planned
4/23/2018	<a href="#">Butte, MT</a>	1,300	Planned
4/23/2018	<a href="#">Savannah, TN</a>	500	Planned
4/23/2018	<a href="#">St Albans, WV</a>	1,000	Tree on line
4/23/2018	<a href="#">Garden City, KS</a>	2,000	Utility substation failure
4/23/2018	<a href="#">Burke City, GA</a>	100	Vehicle accident
4/24/2018	<a href="#">Excelsior Springs, MO</a>	100	Vehicle accident
4/24/2018	<a href="#">Daniels, WV</a>	School closed	Not reported
4/24/2018	<a href="#">Kansas City, KS</a>	1,700	Unknown
4/24/2018	<a href="#">Buncombe, NC</a>	4,000	Weather-storm
4/24/2018	<a href="#">Sugarland, TX</a>	750	Unknown
4/25/2018	<a href="#">Oak Hill, WV</a>	200	Vehicle accident
4/25/2018	<a href="#">Chenango City, NY</a>	1,800	Unknown
4/25/2018	<a href="#">South Central, AK</a>	1,600	Weather-wind
4/26/2018	<a href="#">Maryland BGE</a>	10	Vehicle accident
4/26/2018	<a href="#">Joplin, MO</a>	8,100	Vehicle accident
4/26/2018	<a href="#">Colorado Springs, CO</a>	3,400	Unknown
4/26/2018	<a href="#">Howland, OH</a>	500	Not reported
4/26/2018	<a href="#">Essex City, MA</a>	3,782	Unknown
4/26/2018	<a href="#">Carolinas</a>	1,100	Not reported
4/27/2018	<a href="#">Maryland BGE</a>	126	Unknown
4/27/2018	<a href="#">Maryland BGE</a>	10	Trees on line
4/27/2018	<a href="#">Maryland BGE</a>	10	Equipment failure
4/27/2018	<a href="#">Spencer, IA</a>	800	Unknown
4/27/2018	<a href="#">Parker, AZ</a>	1,000	Vehicle accident
4/28/2018	<a href="#">Reno, NV</a>	50	Fire on pole
4/28/2018	<a href="#">Marblehead, MA</a>	50	Utility pole fell

Full Protection from Damaging Power Problems.



Power Protection from Edge to the Core



Liebert® GXT4™ UPS 500 - 10,000VA



Liebert EXM™ UPS 10 - 250kVA



Liebert ITA2™ UPS 8 - 10kVA Three Phase

\* List may not be exhaustive. Impact is measured in the number of households/businesses affected, unless otherwise noted.