

# POWER OUTAGE REPORTER

December 2017



## OVERVIEW

Power disruptions can occur anywhere, for a variety of reasons.


Listed here are some of the recent disruptions.

Remember, though most of the publicly reported events tend to happen outside of an organization's facility, there are many unreported problems happening every day inside a building.

Vertiv™ designs, builds and services critical infrastructure that enables vital applications for data centers, communication networks and commercial and industrial facilities. Vertiv supports critical IT computing from the core to the network edge with a portfolio of power, thermal and infrastructure management solutions including the Chloride®, Liebert®, NetSure™ and Trellis™ brands.

Contact us at [VertivCo.com](http://VertivCo.com)

Want to know more about the cost of downtime? [Read this paper from the Ponemon Institute](#)




DATE	AREA	IMPACT	REASON
12/1/2017	<a href="#">Wendell, ID</a>	61	Auto accident
12/4/2017	<a href="#">Lincoln, NE</a>	Dorms closed	High winds
12/4/2017	<a href="#">Providence, RI</a>	Zoo closed	Construction mishap
12/4/2017	<a href="#">Omaha, NE</a>	4,500	High winds
12/4/2017	<a href="#">Newark, NJ</a>	Garth Brooks concert	Unknown
12/7/2017	<a href="#">Bakersfield, CA</a>	1,078	Unknown
12/8/2017	<a href="#">Jackson, MS</a>	60,700	Snow
12/8/2017	<a href="#">New Orleans, LA</a>	100,000	Snow
12/8/2017	<a href="#">Pine Belt, MS</a>	24,000	Snow
12/10/2017	<a href="#">Richmond, VA</a>	13,000	Snow
12/10/2017	<a href="#">Danville, VA</a>	1,500	Snow
12/11/2017	<a href="#">Virginia Beach, VA</a>	6,200	Equipment failure
12/12/2017	<a href="#">Essex, VT</a>	24+	Auto accident
12/12/2017	<a href="#">Martinsville, VA</a>	5,000	Snow
12/13/2017	<a href="#">Pine Bluffs, AR</a>	Lights display closed	Unknown
12/13/2017	<a href="#">Woburn, MA</a>	2,231	Arcing of wires
12/15/2017	<a href="#">New Orleans, LA</a>	33,000	Snow
12/16/2017	<a href="#">Honolulu, HI</a>	510 + mall	Unknown
12/17/2017	<a href="#">Atlanta, GA</a>	ATL shutdown	Underground fire
12/17/2017	<a href="#">Butte, MT</a>	8,000	Bird
12/18/2017	<a href="#">Hannibal, MO</a>	District wide	Planned
12/18/2017	<a href="#">Hay Springs, NE</a>	District wide	Planned
12/18/2017	<a href="#">Fort Wayne, IN</a>	3,587	Equipment failure
12/19/2017	<a href="#">Ponoma, CA</a>	888	Equipment failure
12/19/2017	<a href="#">FT Lauderdale, FL</a>	FLL airport	Planned
12/19/2017	<a href="#">Ruidoso, NM</a>	4,000	Gas explosion
12/20/2017	<a href="#">Tulsa, OK</a>	2,600	Downed lines
12/20/2017	<a href="#">Dickinson, TX</a>	1,500	Auto accident
12/21/2017	<a href="#">Hollywood, CA</a>	4,787	High winds
12/21/2017	<a href="#">Palm Desert, CA</a>	1,025	High winds
12/22/2017	<a href="#">Columbus, OH</a>	1,700	Equipment failure
12/22/2017	<a href="#">Slaton, TX</a>	4,770	Equipment failure
12/23/2017	<a href="#">Keene, NH</a>	10,000	Weather
12/23/2017	<a href="#">Central MA</a>	11,000	Weather
12/23/2017	<a href="#">Warwick, RI</a>	Airport closed	Unknown
12/23/2017	<a href="#">Washington DC</a>	1,000	High winds
12/23/2017	<a href="#">Boston, MA</a>	20,000	Weather
12/23/2017	<a href="#">Western MA</a>	Widespread	Weather
12/24/2017	<a href="#">San Angelo, TX</a>	Localized	Transformer fire
12/24/2017	<a href="#">Watchung, NJ</a>	Localized	Downed lines
12/24/2017	<a href="#">Andover, NH</a>	400	Weather
12/24/2017	<a href="#">Nashua, NH</a>	14,000	Weather
12/24/2017	<a href="#">Grayson, KY</a>	922	Weather
12/25/2017	<a href="#">York, PA</a>	400	High winds

12/25/2017	<a href="#">Pittsburgh, PA</a>	3,000	Weather
12/25/2017	<a href="#">Clearfield, PA</a>	<100	Snowplow accident
12/25/2017	<a href="#">Centerport, NY</a>	500	High winds
12/25/2017	<a href="#">LaFayette, AL</a>	City-wide	Squirrel
12/25/2017	<a href="#">Northhampton, MA</a>	600	Weather
12/25/2017	<a href="#">Kent, MI</a>	1,417	Weather
12/25/2017	<a href="#">Putnam Cty NY</a>	12,000	High winds
12/25/2017	<a href="#">Washington DC</a>	9,000	Weather
12/25/2017	<a href="#">Oklahoma City, OK</a>	part of city	Unknown
12/26/2017	<a href="#">Utah Cty, UT</a>	3,071	Unknown
12/26/2017	<a href="#">Cleveland, OH</a>	40,000	Substation failure
12/26/2017	<a href="#">Denver, CO</a>	670	Downed lines
12/26/2017	<a href="#">Central ME</a>	10,000	Weather
12/26/2017	<a href="#">St George, UT</a>	Area-wide	Equipment failure
12/26/2017	<a href="#">Des Moines, IA</a>	1,400	Downed lines
12/26/2017	<a href="#">Fountain Valley, CA</a>	850	Unknown
12/26/2017	<a href="#">Buffalo, NY</a>	600	Equipment failure
12/27/2017	<a href="#">Disneyland CA</a>	Attractions closed	Equipment failure
12/27/2017	<a href="#">Joliet, IL</a>	Localized	Transformer
12/28/2017	<a href="#">Elgin, TX</a>	2,000	Trees
12/28/2017	<a href="#">Albuquerque, NM</a>	part of city	Transformer
12/28/2017	<a href="#">Chester, NJ</a>	Localized	Downed lines
12/28/2017	<a href="#">Nahant, MA</a>	1,000	Auto accident
12/28/2017	<a href="#">Shaker Heights, OH</a>	40	Unknown
12/28/2017	<a href="#">Staten Island, NY</a>	372	Unknown
12/28/2017	<a href="#">Beverly, MA</a>	650	Underground fire
12/28/2017	<a href="#">Waco, TX</a>	10,000	Substation fire

\* List may not be exhaustive. Impact is measured in the number of households/businesses affected, unless otherwise noted.

Full Protection from Damaging Power Problems.



Power Protection from Edge to the Core



Liebert® GXT4™ UPS  
500 - 10,000VA



Liebert EXM™ UPS  
10 - 250kVA



Liebert EXL™ S1 UPS  
625 - 1200kVA/kW